

STANDARD MONOCHROME RIBBONS

Cost-Effective Solution




The Evolis High Trust® standard monochrome ribbons are specifically engineered to provide optimal printing quality. Available in Black, Blue, Red, Green, White, Metallic Gold and Metallic Silver, they are used to print a single color on cards.

ADVANTAGES

Monochrome ribbons are very cost effective for personalizing pre-printed cards or for issuing single-color cards.

Thanks to the ribbon saver feature, available with continuous ribbons, you significantly increase the number of cards to be printed with one single ribbon. Indeed, the surface used on the ribbon corresponds to the real printed surface plus a 7 mm (0.27") jump, and not the surface of a whole card.



Tested and validated by Evolis R&D and Quality departments, these consumables bring you printing quality and reliability. Use Evolis High Trust® ribbons to keep off defects and to benefit from high-quality printouts at an optimal cost-per-card.

GENERAL SPECIFICATIONS

- · Ribbon in PET with thin layer of specialized coatings
- · Continuous ribbon
- · Compatible with PVC or composite cards
- \cdot For thermal transfer technology

PRODUCT INFORMATION:

- · Monochrome ribbon
- · Continuous
- · Ribbon Saver
- · Black, White, Blue, Green, Red, Metallic Silver and Metallic Gold

RIBBON	COLOR (RGB)	PANTONE	
Blue	0/103/195	P300C	
Red	210/16/52	P186C	
Green	0/114/41	P356C	
Black	0/0/0	*	
White	255/255/255	*	
Metallic Gold	220/170/0	P110C**	
Metallic Silver	138/141/143	P877C**	

^{*} No Pantone for Black and White

^{**} Approximative Pantone for Gold and Silver




COMPATIBILITY AND CAPACITY

PART#	COLOR	PRINTS / ROLL	BADGY 200	ZENIUS/ PRIMACY	PRIMACY2	EDIKIO ACCESS	EDIKIO FLEX/ DUPLEX	RFID Syst.
RCT223NAAA	Black	Up to 2000			•			•
NCT223NAAA	Black	Up to 2000			•			•
RCT212NAAA	Blue	Up to 1000			•			•
RCT213NAAA	Red	Up to 1000			•			•
RCT214NAAA	Green	Up to 1000			•			•
RCT215NAAA	White	Up to 1000			•			•
RCT216NAAA	Metallic Gold	Up to 1000			•			•
RCT217NAAA	Metallic Silver	Up to 1000			•			•
RCT023NAA	Black	Up to 2000		•			•	•
RCT012NAA	Blue	Up to 1000		•			•	•
RCT013NAA	Red	Up to 1000		•			•	•
RCT014NAA	Green	Up to 1000		•			•	•
RCT015NAA	White	Up to 1000		•			•	•
RCT016NAA	Metallic Gold	Up to 1000		•			•	•
RCT017NAA	Metallic Silver	Up to 1000		•			•	•
RCT025NAA	Black	Up to 500				•		•
RCT052NAA	White	Up to 500				•		•
CBGR0500K	Black	Up to 500	•					•

PART#	COLOR	PRINTS / ROLL	TATTOO	PEBBLE / DUALYS	SECURION	QUANTUM
R2211	Black	Up to 600	•			
R2011	Black	Up to 1000		•	•	
R2131	Black	Up to 3000				•
R2121	Black	Up to 5000				Quantum1 only
R2212	Blue	Up to 600	•			
R2012	Blue	Up to 1000		•	•	•
R2013	Red	Up to 1000		•	•	•
R2014	Green	Up to 1000		•	•	•
R2215	White	Up to 500	•			
R2015	White	Up to 1000		•	•	•
R2016	Metallic Gold	Up to 1000		•	•	•
R2217	Metallic Silver	Up to 500	•			
R2017	Metallic Silver	Up to 1000		•	•	•

PRINTING CAPACITIES

Most of the Evolis monochrome ribbons are given for an average of 1,000 prints per roll. However, depending on the layout, the ribbon achieves a different number of prints, as demonstrated hereafter:



^{*} Example based on a 1,000 prints per roll ribbon

RFID SYSTEM

The RFID system allows the automatic ribbon recognition by the printer (improved user friendliness).

EASY4PRO RANGE

The EASY4PRO line consists of the removal of ribbon cassette. The Evolis Easy4pro ribbons are designed for card printing professionals with high ribbon consumption who require compact consumables with a small footprint packaging.

Downsized to minimum dimensions, the Easy4pro ribbons feature an optimized soft packaging:

- \cdot This helps to reduce shipping and storage cost for large-volume users
- \cdot This also helps to reduce plastic consumption and waste (no cassette, no blister).

These ribbons benefit from the same high level of quality as the standard Primacy consumable range and produce sharp, bright images and clear text.

STORAGE INFORMATION

These ribbons shall be capable of functioning for up to 1 year after purchase if stored in a cool, dry environment and having remained unopened from the original packaging. Temperature of storage must be between $5-25^{\circ}$ C (41 - 77° F) and at RH between 30-80%. Once opened these ribbons shall have a lifetime of 6 months if stored under cool, dry conditions. For all these ribbons, avoid dust, direct sunlight, high humidity and high temperatures. Do not place near solvent or other chemicals.



